


LED PLANT GROWTH LIGHT



BB-GKD-150W-G4

PRODUCT DESCRIPTION

The Plant growth light series has the high-performance solution for the most demanding applications within a unique design. It can be used in many applications such as greenhouse, farm, mini garden, Hydroponic Growing, anywhere planting Flowers, Succulents, Fruits.

FEATURE

1. High efficiency white light Quantum Boards used top 3030 smd led.
2. White Light Full Spectrum for better results.
3. Hanging Mounting.


APPLICATION



PERFORMANCE DATA




Power	150W	
Model	BB-GKD-150W-G4	
Replacement	HPS 500W	
Dimensions	385*345*87mm(15.16*13.58*3.43in)	
System Efficiency	90lm/w	
Spectrum	Full spectrum	
Mounting	Hanging Mounting	
Light Source	3030 SMD LED	
Operation Temp.	-40 to +45°C	
Life Span	50,000 hours at 25°C	
Voltage	100-277VAC/50-60Hz	200-480VAC/50-60Hz Available
Driver	UL listed power supply	
Dimming	Dimmable	
Sensor	No sensor	
Material	Aluminum	
Design	Reflector design, Let the light effect gather more.	
IP	65	
PF	>0.95	
Warranty	3Years	

PPFD



DETAILS


1. Top unique design 3.0/W conductivity, 2OZ copper thickness.
2. High efficiency white light Quantum Boards used top 3030 SMD LED.
3. White Light Full Spectrum for better results.
4. UL listed power supply, Safe and reliable, long life.
5. Perfect performance for veg and bloom.
6. Green, energy saving, long and reliable life of 50,000 hours.
7. No RF interference, No IR/UV radiation, no mercury pollution.
8. Better canopy light penetration with diffused light.
9. Environment friendly, energy saving (70~80%).
10. Special circuit design, each LED work separately, avoiding the single broken LED influence problem.



Unused	LED Grow light	used
		
		
		

WAVELENGTH-SPECTRUM

Provides a more comprehensive spectrum, allowing plants to grow as if in the sun.



PACKING INFO



Display inside the box



Carton

Model	Packaging	Carton Size(mm) (L*W*H)	N.W	G.W	Volume weight
150W	1pc/CTN	430*383*125mm	2.2kg	2.5kg	5.5kg
	4pcs/CTN	448*396*553mm	10.0kg	11.0kg	22.0kg